

Extend the lifetime  
of your compressor



## ORIGINAL PARTS Catalogue

Compressed air at your service

## Single stage belt driven compressors pumps



- Aluminium heads with large cooling fins for better cooling.
- Larger oil sump for better lubrication.
- Special valve plates with higher load resistance.


## Two stages belt driven compressors pumps




- Powerful, quiet and safe.
- Suitable for heavy-duty applications.
- Designed for longer life.
- Low energy consumption.
- Two stage pumps with intermediate cooling between compression stages.

Model	Order Number	Cylinder	Stage	Air displacement l/min	CFM	Motor HP	KW	RPM	Volt/Hz	Max press bar	psi	List price
B2800	6218741800	2	1	254	9	2	1,5	1250	230/50	10	145	
B2800B	6218739200	2	1	254	9	2	1,5	1250	230/50	10	145	
				320	11,3	3	2,2	1570	230/50	10	145	
B3800	4116090004	2	1	387	13,7	3	2,2	1100	230/50	10	145	
B3800B	6218739400	2	1	387	13,7	3	2,2	1100	230/50	10	145	
				476	16,8	4	3	1400	230/50	10	145	
B4900B	6218739600	2	2	514	18,1	4	3	1400	400/50	11	160	
B5900B	6218740200	2	2	653	23,1	5,5	4	1400	400/50	11	160	
B6000 Silent	6218741500	2	2	660	23,3	5,5	4	1100	400/50	11	160	
				827	29,2	7,5	5,5	1400	400/50	11	160	
B7000 Silent	6218741600	2	2	1023	36,1	7,5	5,5	1100	400/50	11	160	
				1210	42,7	10	7,5	1300	400/50	11	160	
B7900/S	6218740300	2	2	950	33,5	7,5	5,5	750	400/50	11	160	
				1130	39,9	10	7,5	900				
B8900	4116090002	4	2	2016	71,2	15	11	800	400/50	11	160	
				2400	84,7	20	15	950				
				2770	97,8	25	18,5	1100				
NS39	6218739900	2	2	653	23,1	5,5	4	1000	230/50	11	160	
				827	29,2	7,5	5,5	1250	230/50	11	160	
B2800I	6218739300	2	1	254	9	2	1,5	1250	230/50	10	145	
B6000	6218740100	2	2	660	23,3	5,5	4	1100	400/50	11	160	
				827	29,2	7,5	5,5	1400	400/50	11	160	
B7000	6218740000	2	2	1023	36,1	7,5	5,5	1100	400/50	11	160	
				1210	42,7	10	7,5	1300	400/50	11	160	


## Dimensions of the compressor pumps




Oilless direct drive compressors pumps




Single stage belt driven compressor pumps




Lubricated direct drive compressors pumps



Two stages belt driven compressor pumps



Lubricated direct drive compressors V pumps



Two stages belt driven compressor pumps

Pump	A	B	C	D	E	F	G	L	M	N	P
OL195	312			190	400		139	64		9	1/4"
OM231	304			220	357		139	64		9	3/8"
OM200sil	304			220	357		139	64		9	3/8"
FC2	285			170	355			110		M6	3/8"
F1 241	263			166	375		139	64		9	3/8"
D240	274			171	355		139	64		9	3/8"
D260	274			171	355		139	64		9	1/2"
F1 310	264			166	375		139	64		9	1/2"
GV34		355		457	485		130	156		9	1/2"
B2800I	280	325	280	210	255	96,5	162	132	75,5	9	1/2"
B2800	280	325	280	210	255	96,5	162	132	75,5	9	1/2"
B2800B	280	325	280	210	255	96,5	162	132	75,5	9	3/4"
B3800	340	393	350	235	285	123	156	140	91	8,5	1/2"
B3800B	340	393	350	235	285	123	156	140	91	8,5	3/4"
B4900B	364	413	350	280	310	126,5	174	146	105	10,5	1"
B5900B	405	490	430	320	345	131	190	170	110	10,5	1-1/4"
B6000	445	510	430	350	360	150	248	198	112	13	1-1/4"
B7000	560	600	430	500	415	175	290	240	122	15	1-1/4"
B7900/S	615	670	430	500	410	160	288	230	110	14	1-1/4"
BV8900	670	790	630	780	525	195	350	310	155	15	1"
B6000 Silent	445	510	430	350	360	150	248	198	112	13	1-1/4"
B7000 Silent	560	600	430	500	415	175	290	240	122	15	1-1/4"



# The world of ABAC



Original parts.  
Your quality assurance.

Your Authorized Distributor

0800986669

The 'original part' identification confirms that these components passed our strict test criteria. All parts are designed to match the compressor and are approved for use on the specified compressor. They have been thoroughly tested to obtain the highest level of protection, extending the compressors' lifetime and keeping the cost of ownership to an absolute minimum. No compromises are made on reliability. The use of 'original part' certified quality components helps ensure reliable operation and will not impact the validity of your warranty, unlike other parts. Look for your quality assurance.



[www.abacaircompressors.com](http://www.abacaircompressors.com)

Compressed air at your service